





AIRBORNE PRECAUTIONS


Visitors: Please report to nursing station before entering room.

 <p>CLIENT ACCOMMODATION</p> <ul style="list-style-type: none"> • Single room. • Keep door closed. 	 <p>NIOSH N95 MASK</p> <ul style="list-style-type: none"> • Special high-efficiency mask upon entering the room.
 <p>HAND WASHING</p> <ul style="list-style-type: none"> • Before direct contact with clients. • After touching contaminated articles. • After direct contact with clients. 	 <p>CLIENT TRANSPORT</p> <ul style="list-style-type: none"> • Transport for essential purposes only. • Client must wear surgical/procedure mask during transport. • Notify receiving department.

Source: Health Canada. Routine practices and additional precautions for preventing the transmission of infection in health care. *Can Commun Dis Rep* 1999; 25S4:79.

DROPLET PRECAUTIONS







Visitors: Please report to nursing station before entering room.

 <p>CLIENT ACCOMMODATION</p> <ul style="list-style-type: none"> • Maintain a distance of at least one metre (3 ft.) between clients. • Door may remain open. 	 <p>MASK</p> <ul style="list-style-type: none"> • Surgical/procedure mask within one metre (3 ft.) of clients.
 <p>HAND WASHING</p> <ul style="list-style-type: none"> • Before direct contact with clients. • After touching contaminated articles. • After direct contact with clients. 	 <p>CLIENT TRANSPORT</p> <ul style="list-style-type: none"> • Transport for essential purposes only. • Client must wear surgical/procedure mask during transport. • Notify receiving department.

Source: Health Canada. Routine practices and additional precautions for preventing the transmission of infection in health care. *Can Commun Dis Rep* 1999; 25S4:80.

CONTACT PRECAUTIONS







Visitors: Please report to nursing station before entering room.

 <p>CLIENT ACCOMMODATION</p> <ul style="list-style-type: none"> • Maintain a distance of at least one metre (3 ft.) between clients. • Door may remain open. 	 <p>CLIENT CARE EQUIPMENT</p> <ul style="list-style-type: none"> • Dedicate to this client or disinfect after use. 	 <p>GOWN</p> <ul style="list-style-type: none"> • If contamination or soiling is likely.
 <p>GLOVES</p> <ul style="list-style-type: none"> • On entry into client's room, bedroom or bedspace. 	 <p>HAND WASHING</p> <ul style="list-style-type: none"> • After removing gloves. • After touching contaminated articles. 	 <p>CLIENT TRANSPORT</p> <ul style="list-style-type: none"> • Transport for essential purposes only. • Notify receiving department.

Source: Health Canada. Routine practices and additional precautions for preventing the transmission of infection in health care. *Can Commun Dis Rep* 1999; 25S4:81.

DROPLET/CONTACT PRECAUTIONS

Visitors: Please report to nursing station before entering room.

 <p>CLIENT ACCOMMODATION</p> <ul style="list-style-type: none"> • Maintain a distance of at least one metre (3 ft.) between clients. • Door may remain open. 	 <p>CLIENT CARE EQUIPMENT</p> <ul style="list-style-type: none"> • Dedicate to this client or disinfect after use. 	 <p>GLOVES</p> <ul style="list-style-type: none"> • On entry into client's room, bedroom or bedspace.
 <p>GOWN</p> <ul style="list-style-type: none"> • If contamination is likely. 	 <p>HAND WASHING</p> <ul style="list-style-type: none"> • After removing gloves. • After touching contaminated articles. 	 <p>CLIENT TRANSPORT</p> <ul style="list-style-type: none"> • Transport for essential purposes only. • Client must wear surgical/procedure mask during transport. • Notify receiving department.

Source: Health Canada. Routine practices and additional precautions for preventing the transmission of infection in health care. *Can Commun Dis Rep* 1999; 25S4:82.